

MAR 22 2005

Patent
Attorney Docket: 816020-100052-US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:)	Group Art Unit: 3738
Inventor: Oleg Svanidze et al)	Examiner: Cheryl L. Miller
Serial No.: 10/680,068)	Customer No.: 34026
Filed: October 6, 2003)	Confirmation No.: 9947
For: Minimally Invasive Valve Replacement System)	Docket No.: 816020-100052-US

RESPONSE TO RESTRICTION REQUIREMENT

Mail Stop Amendments
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Responsive to the Restriction Requirement dated March 17, 2005, attorney for applicant elects species 16 (figures 40-44). Pending claims 1-45 are believed to read on this species. Responses to Restriction Requirements in related patent application Serial Nos. 10/680,732 and 10/680,716 are also being made in separate responses transmitted by fax today. Further, additional related applications, also filed on October 6, 2003 are:

10/680,071;

10/680,560;

CERTIFICATE OF TRANSMISSION

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, Fax No. (703) 872-9306 on March 22, 2005.

Fay Lum-Lee
Name of Person Mailing Paper
LAI-21801561

Fay Lum-Lee
Signature of Person Mailing Paper

Patent

Attorney Docket: 816020-100052-US

10/680,070;
10/680,728;
10/680,567;
10/680,075;
10/680,069;
10/680,719;
10/680,733;
10/680,562; and
10/680,717.

Lastly, a personal interview regarding these cases is requested for Wednesday, April 13, 2005.

Respectfully submitted,

JONES DAY

Dated: March 22, 2005By: Coe A. Bloomberg

Coe A. Bloomberg
Reg. No. 26,605

Suite 4600
555 W. Fifth Street
Los Angeles, CA 90013-1025
(213) 489-3939